



Teklab TO-13A (Modified) Analytes

Analyte	Certification	MDL, ug-Total	PQL, ug-Total
1-Methylnaphthalene	NELAP	0.05	0.1
2-Chloronaphthalene	NELAP	0.05	0.1
2-Methylnaphthalene	NELAP	0.05	0.1
Acenaphthene	NELAP	0.05	0.1
Acenaphthylene	NELAP	0.05	0.1
Anthracene	NELAP	0.05	0.1
Benz(a)anthracene	NELAP	0.05	0.1
Benzo(a)pyrene	NELAP	0.05	0.1
Benzo(b)fluoranthene	NELAP	0.05	0.1
Benzo(e)pyrene		0.05	0.1
Benzo(g,h,i)perylene	NELAP	0.09	0.1
Benzo(k)fluoranthene	NELAP	0.05	0.1
Chrysene	NELAP	0.05	0.1
Coronene	NELAP	0.05	0.1
Dibenz(a,h)anthracene	NELAP	0.09	0.1
Fluoranthene	NELAP	0.05	0.1
Fluorene	NELAP	0.05	0.1
Indeno(1,2,3-cd)pyrene	NELAP	0.09	0.1
Naphthalene	NELAP	0.2	0.5
Perylene	NELAP	0.05	0.1
Phenanthrene	NELAP	0.05	0.1
Pyrene	NELAP	0.05	0.1

Collinsville, IL

Kelly Klostermann 618-344-1004 x 11

kklostermann@teklabinc.com

John Riley 618-344-1004 x 30, jhriley@teklabinc.com

Springfield, IL

Kathy McClain 217-698-1004, kmccain@teklabinc.com

Kansas City, KS

Dan Thompson 314-591-3661, dthompson@teklabinc.com